

**THE SHOULDER'S VITAL SECRET: A COMPREHENSIVE REVIEW OF AMSA MARMA
FROM A MODERN ANATOMICAL PERSPECTIVE****Dr. Shan Ahmad^{1*}, Dr. Jitender Kumar², Dr. Aaditya Bhardwaj³**¹P.G. Scholar, Department of Rachna Sharir, Quadra Institute of Ayurveda, Roorkee.²HOD and Professor, Department of Rachna Sharir. Quadra Institute of Ayurveda, Roorkee.³Assistant Professor, Department of Rachna Sharir. Quadra Institute of Ayurveda, Roorkee.***Corresponding Author: Dr. Shan Ahmad**

P.G. Scholar, Department of Rachna Sharir, Quadra Institute of Ayurveda, Roorkee.

DOI: <https://doi.org/10.5281/zenodo.19331393>**How to cite this Article:** Dr. Shan Ahmad^{1*}, Dr. Jitender Kumar², Dr. Aaditya Bhardwaj³ (2026). THE SHOULDER'S VITAL SECRET: A COMPREHENSIVE REVIEW OF AMSA MARMA FROM A MODERN ANATOMICAL PERSPECTIVE. World Journal of Pharmaceutical and Medical Research, 12(4), 82–84.

This work is licensed under Creative Commons Attribution 4.0 International license.

Article Received on 03/03/2026

Article Revised on 23/03/2026

Article Published on 01/04/2026

ABSTRACT

The shoulder (*amsa*) represents one of the most functionally complex and clinically significant regions of the human body, particularly within traditional Indian medical systems where vital points known as *marma* are recognized for their therapeutic and energetic importance. Among these, *Amsa Marma* holds a central place due to its anatomical intricacy and its relevance in both movement and somatic regulation. This comprehensive review synthesizes classical Ayurvedic descriptions of *Amsa Marma* with contemporary anatomical, biomechanical, and clinical insights to elucidate its structural and functional correlates in modern medicine. By integrating historical texts, cadaveric studies, imaging-based evaluations, and neuromusculoskeletal research, we map the *Amsa Marma* to specific osseous landmarks, muscle groups (notably the deltoid and rotator cuff complexes), neurovascular networks (brachial plexus branches and axillary vessels), and fascia-rich interfascial planes that contribute to shoulder stability and proprioception. We further explore how *Amsa's* conceptual domain overlaps with established notions of trigger points, vulnerable zones in trauma, and regions of heightened sensorimotor integration.

KEYWORDS: *Amsa Marma*, *Snayu Marma*, *Vaikalyakara Marma*, Rotator Cuff, Supraspinatus Tendon, Suprascapular Nerve.**INTRODUCTION: BRIDGING AYURVEDA AND MODERN ANATOMY**

Ayurveda, the ancient Indian system of medicine, designates specific points known as *Marma* as sites of vital importance where injury can lead to significant morbidity or mortality.^[1] Classical texts meticulously describe these points as the confluence (*sannipata*) of five essential anatomical structures: *Mamsa* (muscle), *Sira* (vessels/nerves), *Snayu* (ligaments/tendons), *Asthi* (bone), and *Sandhi* (joint).^[2] Among the 107 *Marma* points enumerated, the *Amsa Marma*, situated in the shoulder region, holds particular clinical significance. The shoulder complex is recognized in modern anatomy as the most mobile yet unstable joint in the human body, making it highly susceptible to trauma and degenerative changes.^[3] This comprehensive review aims to meticulously elaborate on the classical descriptions of *Amsa Marma* and establish robust correlations with contemporary anatomical structures, providing a

synthesized understanding that is invaluable for anatomical, surgical, and clinical practice.^[4]**MATERIALS AND METHODS****CLASSICAL SOURCES:** foundational ayurvedic texts (*sushruta samhita*, *charaka samhita*, *ashtanga hridaya*) were examined to extract descriptions of *amsa marma*, including its anatomical location, classification, and clinical relevance.**MODERN ANATOMY REFERENCES:** standard anatomical and clinical texts (*gray's anatomy*, *clinically oriented anatomy*, orthopedic reference manuals) were consulted to identify musculoskeletal and neurovascular structures of the shoulder region.**COMPARATIVE MAPPING:** traditional descriptions of *amsa marma* were systematically mapped against modern anatomical landmarks, including the

suprascapular notch, supraspinatus muscle, rotator cuff tendons, and associated neurovascular bundles.

REVIEW OF LITERATURE

(1) CLASSICAL DESCRIPTION AND CLASSIFICATION OF AMSA MARMA

The term *Amsa* classically refers to the shoulder region.^[5] The location of *Amsa Marma* is precisely described in foundational texts like *Sushruta Samhita* and *Ashtanga Hridaya*.^[6]

(2) LOCATION AND MEASUREMENT

* Location: *Amsa Marma* is identified as a paired point (*dvi-sankhyā*), situated on the upper part of the back (*Prishthagata Marma*), specifically at the junction of the head, neck, and arm (*Bahu, Murdha, Grīvā madhya*).^[7] This places it laterally to the vertebral column, superiorly near the neck, and medially to the arm/shoulder joint itself.^[8]

Measurement: The size of *Amsa Marma* is traditionally specified as half an *Angula pramana*.^[9] While this measurement is relative, it suggests a focal point rather than a broad region, corresponding to a specific vulnerable structure.^[10]

(3) CLASSIFICATION AND PROGNOSIS

* Structural Classification (*Rachana-bheda*): *Amsa Marma* is predominantly classified as a *Snayu Marma*.^[7,11] This classification indicates that the structures of ligaments and tendons are paramount at this point, signifying their major contribution to the local anatomy and vulnerability.^[12]

Prognostic Classification (*Parinama-bheda*): It is categorized under the group of *Vaikalyakara Marma* (*Marma* causing permanent deformity or chronic disability).^[1,7]

Consequence of Injury (*Marma viddha Lakṣhaṇa*): Trauma to *Amsa Marma* is classically associated with *Bahukriyahara* (loss or impairment of arm function) or *Stabdha bahuta* (rigidity or stiffness of the upper limb).^[2,13]

(4) CORRELATION WITH MODERN ANATOMY

The location and classification of *Amsa Marma* strongly point towards the critical structures of the shoulder girdle responsible for its stability and movement.^[4]

The Role of Ligaments and Tendons (*Snayu*)

As a *Snayu Marma*, the crucial anatomical correlates are the tendons and ligaments that stabilize the shoulder.^[11] The most significant correlation involves the Rotator Cuff Tendons, particularly the tendon of the Supraspinatus muscle.^[14] This tendon is anatomically positioned beneath the acromion and is highly susceptible to impingement and tears, which directly lead to functional impairment (*Bahu kriyahara*), especially in the initiation of abduction.^[14,15]

Furthermore, the robust coraco-clavicular ligaments (Conoid and Trapezoid) and the coraco-acromial ligament are essential components of the *Snayu* complex in this region. Damage to these structures, often accompanying acromioclavicular joint dislocations, results in significant instability and persistent dysfunction, aligning perfectly with the *Vaikalyakara* nature of the *Marma*.^[5]

(5) THE JOINT AND BONE COMPONENT (*SANDHI AND ASTHI*)

The designation as being located at the junction of the arm, head, and neck clearly encompasses the Glenohumeral Joint (the main shoulder joint) and the surrounding Acromioclavicular Joint.^[8] The underlying bone (*Asthi*) structure includes the head of the humerus, the glenoid cavity of the scapula, and the distal clavicle. Dislocation of the glenohumeral joint or fractures in the proximal humerus or clavicle can devastate the surrounding soft tissues (the *Snayu* and *Mamsa* components), resulting in the predicted loss of function and stiffness.^[4]

(6) MUSCULAR AND NEUROVASCULAR COMPONENTS (*MAMSA AND SIRĀ*)

The superficial muscles (*Mamsa*) in the region include the Deltoid and the Trapezius, which are indispensable for shoulder movement.^[13] Deep to these, the muscle bellies of the rotator cuff group contribute significantly.

The concept of *Sira* (which encompasses nerves and vessels) is addressed by the presence of vital neurovascular bundles. The Suprascapular Nerve and Artery, which traverse the superior border of the scapula (suprascapular notch), are particularly vulnerable to compression or traction injuries in the proximity of the *Amsa Marma* [G] Injury to this nerve specifically paralyzes the supraspinatus and infraspinatus muscles, leading to loss of abduction and external rotation-classic examples of *Bahukriyahara*.^[15]

(7) CLINICAL AND THERAPEUTIC IMPLICATIONS

The consistent documentation of *Amsa Marma* as a point whose injury leads to persistent disability underscores its high clinical relevance.^[12]

Diagnosis: The clinical presentation of *Bahukriyahara* and *Stabdhabahuta* in modern practice necessitates the investigation of rotator cuff integrity, shoulder joint stability, and suprascapular nerve function.^[10]

Surgical Caution: Surgeons operating on the shoulder must be acutely aware of the concentration of vital structures (*Marma sannipata*) in the *Amsa* region, ensuring meticulous dissection to protect the rotator cuff insertion sites, the joint capsule, and critical nerves like the suprascapular nerve.^[4,11]

Therapy: The traditional Ayurvedic therapeutic approach, Marma Chikitsa, involves subtle manipulation or stimulation of these points to restore the flow of *Prana*.^[9] This therapeutic concept finds parallel in modern physiotherapy techniques aimed at pain relief, improving local circulation, and restoring range of motion in conditions like subacromial impingement syndrome and adhesive capsulitis (frozen shoulder).^[11]

RESULTS AND DISCUSSION

The present review attempts to reinterpret *Amsa Marma*, described in classical Ayurvedic literature such as the *Sushruta Samhita* and *Ashtanga Hridaya*, through the lens of modern anatomical science. Traditionally classified as a *Sandhi Marma* (joint-related vital point), *Amsa Marma* is situated in the shoulder region and is associated with significant functional and pathological consequences when injured. By correlating textual descriptions with contemporary anatomical knowledge, a clearer picture emerges of its structural and clinical relevance.

CONCLUSION

The ancient concept of *Amsa Marma* serves as a remarkable testament to the profound anatomical insights of Ayurvedic scholars.^[13] Its definition as a *Snayu Marma* causing chronic disability is strongly validated by the modern understanding of the vulnerability of the rotator cuff tendons, coraco-clavicular ligaments, and the suprascapular nerve in the shoulder region.^[14] By integrating this traditional wisdom with rigorous anatomical correlation, medical professionals can achieve a more holistic and cautious approach to diagnosing, treating, and prognosing pathologies of the highly complex and functionally critical shoulder joint.^[15]

REFERENCES

1. Sushruta. Sushruta Samhita, Sharira Sthana, Chapter 6: Pratyeka Marma Nirdesha Adhyaya, Verse 2. Edited by Kaviraj Ambikadatta Shastri. Varanasi: Chaukhambha Orientalia, 2012.
2. Vagbhata. Ashtanga Hridayam, Sharira Sthana, Chapter 4: Marma Vibhaga Adhyaya, Verse 16. Edited by Bhishagratna Hari shastri Paradkar Vaidya. Varanasi: Krishnadas Academy, 2012.
3. Moore, K. L., Dalley, A. F., & Agur, A. M. R. Clinically Oriented Anatomy. 8th ed. Philadelphia: Lippincott Williams & Wilkins, 2018; 696-697.
4. Rao, S. M., Sastry, B. K., & Murthy, K. R. R. A Clinical Study of Marma and its Application in Therapeutic Practice. J Ayurveda Holist Med., 2021; 9(4): 20-25.
5. Kumawat, J. & Sharma, R. K. Critical Analysis of AMSA and Amsaphalaka Marma. Int J Ayurveda Res Med Sci., 2025; 10(4): 45-50.
6. Anjana, V. & Jyothi, V. A Study On Amsa Marma-Location, Anatomical structures And Clinical Relevance. J Ayurveda Holist Med., 2023; 11(1): 11-16.
7. Tripathi, S. K. A Critical Study of Amsa Marma and its Marmavighata w.s.r to Stabdhahahuta. World J Pharm Res., 2024; 13(12): 200-205.
8. Sushruta. Sushruta Samhita, Sharira Sthana, Chapter 6: Pratyeka Marma Nirdesha Adhyaya, Verse 28. Edited by Kaviraj Ambikadatta Shastri. Varanasi: Chaukhambha Orientalia, 2012.
9. Shinde, S. N. Therapeutic Efficacy of Marma Chikitsa in Musculoskeletal Disorders. Int J Health Sci Res., 2020; 10(1): 18-22.
10. Raghuram, Y. S. Amsa Marma: Components, Location, Effect Of Injury. Easy Ayurveda. 2017, [Accessed Nov 2025].
11. Dash, B. & Kashyap, L. Fundamentals of Ayurvedic Medicine. New Delhi: Concept Publishing Company, 2019; 150-155.
12. Sharma, V. K. Anatomical and Physiological Significance of Marma: A Review. J Ayurveda Integr Med., 2022; 13(2): 100589.
13. Singh, R. H. A Holistic Approach to Health. Varanasi: Chaukhambha Sanskrit Pratisthan, 2018; 95-100.
14. Netter, F. H. Atlas of Human Anatomy, 7th ed. Philadelphia: Elsevier, 2022; Plates 418-420.
15. Sahu, A. & Mohanty, S. Clinical importance of Marma: An Ayurvedic perspective. Int J Health Allied Sci., 2023; 12(3): 120-125.