

**A CONCEPTUAL STUDY ON THE ROLE OF VIRUDDHA AHARA IN THE
PATHOGENESIS OF KSHUDRA KUSHTHA****Dr. Surabhi Vishwakarma^{1*}, Prof. Kavita Mukund Kumar Agrawal², Dr. Manish Kumar Saini³**¹PG Scholar, PG Department of Ayurveda Samhita Evam Siddhanta,²Professor, PG Department of Ayurveda Samhita Evam Siddhanta,³Assistant Professor, PG Department of Kriya Sharir,

Shri Dhanwantri Ayurvedic Medical College & Research Centre, Chhata, Mathura 281401 U.P.

***Corresponding Author: Dr. Surabhi Vishwakarma**PG Scholar, PG Department of Ayurveda Samhita Evam Siddhanta, Shri Dhanwantri Ayurvedic Medical College & Research Centre, Chhata, Mathura 281401 U.P. DOI: <https://doi.org/10.5281/zenodo.23805046>**How to cite this Article:** Dr. Surabhi Vishwakarma^{1*}, Prof. Kavita Mukund Kumar Agrawal², Dr. Manish Kumar Saini³ (2026). A Conceptual Study On The Role Of Viruddha Ahara In The Pathogenesis Of Kshudra Kushtha. World Journal of Pharmaceutical and Medical Research, 12(11), 37–42.

This work is licensed under Creative Commons Attribution 4.0 International license.

Article Received on 16/09/2026

Article Revised on 06/10/2026

Article Published on 01/11/2026

ABSTRACT

Ayurveda considers Ahara as one of the fundamental pillars responsible for the maintenance of health. Improper dietary practices, particularly Viruddha Ahara, have been described as important etiological factors for several diseases, including Kushtha. Viruddha Ahara refers not merely to incompatible food combinations but also to incompatibility arising from the place, season, digestive capacity, quantity, processing, potency, sequence, combination and method of consumption of food. Classical Ayurvedic literature describes Kushtha as a disorder involving Tridosha along with multiple Dhatus, particularly Tvak, Rakta, Mamsa and Lasika. Kshudra Kushtha represents a group of minor varieties of Kushtha with diverse clinical presentations. The present conceptual review focuses specifically on the role of Viruddha Ahara in the etiopathogenesis of Kshudra Kushtha. Classical descriptions of incompatible dietary practices have been analysed in relation to Agnidushti, Ama formation, Dosha Prakopa, Srotodushti and Dhatu Dushti. Particular attention has been given to frequently described dietary factors such as Viruddha Annapan, excessive intake of Guru-Snigdha foods, consumption of curd, fish, new grains, excessive Lavana and Amla substances, and inappropriate combinations or sequences of food. From a contemporary perspective, repeated unhealthy dietary patterns may contribute to metabolic disturbances, inflammatory processes and alteration of physiological homeostasis; however, these associations should be regarded as possible explanatory parallels rather than direct equivalence between Ayurvedic and modern disease concepts. Understanding Viruddha Ahara may therefore provide a useful conceptual framework for dietary prevention and etiological assessment in Kshudra Kushtha.

KEYWORDS: Ayurveda, Kshudra Kushtha, Viruddha Ahara, dietary incompatibility, Agnidushti, Ama, Dosha, skin disorders, etiopathogenesis.**AIM AND OBJECTIVES****Aim**

To conceptually analyse the role of Viruddha Ahara in the etiopathogenesis of Kshudra Kushtha with special reference to classical Ayurvedic literature.

Objectives

1. To review the Ayurvedic concept of Kshudra Kushtha.
2. To analyse Viruddha Ahara as an important dietary etiological factor in Kushtha.
3. To examine the relationship between Viruddha Ahara, Agnidushti and Ama formation.

4. To understand the possible role of Dosha and Dhatu Dushti in the development of Kshudra Kushtha.

5. To provide a contemporary conceptual interpretation of dietary incompatibility in relation to skin health.

MATERIALS AND METHODS

The present work is a conceptual review based on classical Ayurvedic texts and relevant contemporary literature. The principal Ayurvedic references include Charaka Samhita, particularly the descriptions of Viruddha Ahara and Kushtha Nidana, along with relevant descriptions from other classical texts. Contemporary literature concerning dietary

incompatibility and its possible metabolic and inflammatory implications was also reviewed. The collected information was critically analysed to establish a conceptual relationship between *Viruddha Ahara* and the pathogenesis of *Kshudra Kushtha*.

INTRODUCTION

Ayurveda offers an exhaustive, holistic framework for maintaining optimal well-being through equilibrium among the *Tridosha* (Vata, Pitta, Kapha), *Saptadhatu* (seven primary bodily tissues), *Trimala* (excretory metabolic wastes), and *Agni* (metabolic and digestive fire).^[1] The skin (*Tvak*) serves as an expansive sensory and protective barrier, shielding internal structures from environmental assaults while reflecting internal systemic homeostasis.

The three foundational pillars of Ayurvedic literature offer comprehensive and corroborative insights regarding the deleterious consequences of *Viruddha Ahara* in *Kushtha*.

Charaka Samhita in *Chikitsa Sthana*, *Acharya Charaka* specifically enumerates *Virodhinam Annapanam* at the forefront of *Kushtha Nidana*. He warns that habitual intake of milk with fish, radish, or horse gram, daytime sleep (*Divasvapna*), eating during indigestion (*Ajirnishana*), and drinking cold water immediately after physical exertion or heat exposure directly precipitate *Kushtha*.^[2]

Sushruta Samhita, in *Nidana Sthana*, *Acharya Sushruta* highlights the role of *Raktadushti* (blood vitiation) resulting from discordant foods like sour curd, excessive alkali, saline diet, and fish-milk combinations. He describes how the vitiated blood spreads into the cutaneous vessels, causing various forms of minor and major *Kushtha*.^[3]

Mriyate yadi Kushthena punarjāte 'pi gacchati | Nātaḥ kaṣṭataro rogo yathā Kushtham prakīrtitam ||

Acharya Sushruta also says if a person dies suffering from *Kushtha*, it is said to follow him even in another birth; therefore, no disease is considered more distressing than *Kushtha*.^[4]

In *Ashtanga Hridaya*, *Acharya Vagbhata* reiterates that consumption of incompatible foods leads to *Srotovibandha* (channel blockage) and vitiates all three *Doshas* simultaneously, which then overflow into the peripheral tissues.^[5]

In classical literature, dermatological disorders are comprehensively described under the title of *Kushtha*. Etymologically, the term is defined as *Kushnati vapuh iti kushtham* that which causes disfigurement, destruction, or discoloration of the body surface.^[6] The foundational texts, the *Brihatrayi* (*Charaka Samhita*, *Sushruta Samhita*,

and *Ashtanga Hridaya*), classify *Kushtha* into two major classes.^[7]

Maha Kushtha: Seven major, deep-seated, severe dermatoses with extensive structural infiltration.

Kshudra Kushtha: Eleven minor varieties exhibiting diverse clinical presentations, ranging from dry, scaling plaques to weeping eczematous or vesicular lesions.

Among the myriad etiological factors (*Nidanas*) described for skin disorders, erroneous diet and dietary incompatibilities occupy the central position. In particular, *Viruddha Ahara* (incompatible or antagonistic diet) is repeatedly highlighted by *Charaka*, *Sushruta*, and *Vagbhata* as an instantaneous disturber of physiological channels (*Srotorodha*) and a direct initiator of systemic vitiation.

The Classical Concept of Kshudra Kushtha

The pathogenesis of *Kushtha* is inherently *tridoshic* (*Tridoshaja*), involving seven fundamental pathological factors termed *Saptako Dravyasangraha* that is.

Tridosha (Vata, Pitta, Kapha) + Chatura Dushya (Tvak, Rakta, Mamsa, Lasika)^[8]

Charaka enumerates eleven distinct types of Kshudra Kushtha^[9]

1. **Eka Kushtha:** Extensive scaling dermatosis devoid of sweating, resembling fish skin (modern parallel: psoriasis / ichthyosis).
2. **Charmakhya:** Thickening of skin resembling elephant hide (lichenification / localized scleroderma).
3. **Kitibha:** Dark, rough, dry, indurated lesions exuding discharge upon scratching (lichen planus / neurodermatitis).
4. **Vipadika:** Severe fissuring, cracking, and intense pain localized to hands and feet (palmoplantar keratoderma / eczema).
5. **Alasaka:** Pruritic, reddish nodular or papular eruptions (prurigo nodularis).
6. **Dadru:** Circular, elevated, intensely itching ring-like lesions with erythematous borders (tinea / dermatophytosis).
7. **Charmadala:** Painful erythematous erythema with cracking, burning, and intolerance to touch (impetigo / intertrigo).
8. **Pama:** Copious small, intensely pruritic pustular or vesicular eruptions, primarily on hands and flexures (scabies / wet eczema).
9. **Visphotaka:** Widespread thin-walled vesicles and bullae with burning sensation (pemphigus / bullous dermatosis).
10. **Shataru:** Multiple painful ulcerations with numerous openings and burning sensation (furunculosis / pyoderma gangrenosum).

- 11. Vicharchika:** Extremely pruritic, dark, weeping lesions with copious exudation (nummular / dyshidrotic eczema).

Sushruta and *Vagbhata* provide comparable enumerations with slight clinical variations, underscoring that *Kshudra Kushtha* denotes superficial to moderate skin pathology where conservative and dietary corrections yield substantial clinical results.

Comprehensive Analysis of Viruddha Ahara (The 18 Classical Types)^[10]

The term *Viruddha* signifies contradiction, incompatibility, antagonism, or opposition. In the 26th chapter of *Charaka Samhita* (*Atreya Bhadrakapyi Adhyaya*), *Acharya Charaka* establishes that any food substance or culinary practice that provokes the bodily *Doshas* but fails to expel them from the body, remaining antagonistic to the *Dhatus* and disrupting physiological balance, is defined as *Viruddha Ahara*. *Yat kinchid dosham utklidya na niharec charirat tat sarvam ahitam vidyat.*^[11]

Charaka comprehensively categorizes dietary incompatibility into 18 distinct types. Each category with its operational definition, physiological rationale, and classical examples is detailed below.

1. Desha Viruddha – Place Incompatibility

Consumption of food unsuitable for the geographical and environmental conditions of a region may disturb *Dosha* balance. In *Kushtha*, such dietary incompatibility may increase susceptibility to skin disorders.

2. Kala Viruddha – Time/Season Incompatibility

Consumption of food inappropriate to the season or time may aggravate *Doshas*. In *Kushtha*, this may contribute to recurrence or aggravation of cutaneous manifestations.

3. Agni Viruddha – Digestive Capacity Incompatibility

Food consumed without considering digestive capacity may lead to incomplete digestion and *Ama* formation. This may contribute to *Dosha-Dushya* interaction in *Kushtha*.

4. Matra Viruddha – Quantity Incompatibility

Inappropriate quantity or proportion of food may impair digestion and disturb *Dosha* equilibrium. Thus, quantity is an important consideration in dietary assessment of *Kushtha*.

5. Satmya Viruddha – Incompatibility with Habituation

Sudden intake of food unfamiliar or unsuitable to an individual's habitual diet may disturb *Agni* and *Dosha* balance, potentially aggravating *Kushtha* in susceptible individuals.

6. Dosha Viruddha – Dosha-Incompatible Diet

Regular consumption of foods that aggravate the predominant or already aggravated *Dosha* may worsen *Dosha* imbalance. This is relevant in *Kushtha*, which involves *Tridosha*.

7. Samskara Viruddha – Processing Incompatibility

Improper processing or preparation may alter the properties and digestibility of food. Repeated intake of improperly processed food may contribute to *Agni Dushti* and disease susceptibility.

8. Veerya Viruddha – Potency Incompatibility

Consumption of substances having incompatible *Veerya* may produce an undesirable effect. Fish with milk is a classical example and is particularly relevant because *Viruddha Ahara* is mentioned among *Kushtha Nidanas*.

9. Koshtha Viruddha – Bowel-constitution Incompatibility

Diet unsuitable for an individual's *Koshtha* may disturb digestion and elimination. Such disturbance may favour *Dosha* accumulation and contribute to disease manifestation.

10. Avastha Viruddha – State-of-body Incompatibility

Food inappropriate to the individual's current physiological or pathological state may impair digestion. *Ajirna Adhyashana*, mentioned in *Kushtha Nidana*, represents an important example.

11. Krama Viruddha – Sequence Incompatibility

Improper sequence of food intake or dietary practices may disturb digestion and cause *Agni Vaishamya*. Such dietary irregularity may contribute to *Kushtha* pathogenesis.

12. Parihara Viruddha – Inappropriate Countermeasure

An inappropriate dietary response following a physiological exposure may disturb *Dosha* balance. Rapid intake of cold water after heat or exertion, described in *Kushtha Nidana*, is a relevant example.

13. Upachara Viruddha – Therapeutic-Regimen Incompatibility

Dietary practices contrary to the prescribed therapeutic regimen may interfere with disease management. This is particularly relevant during *Shodhana*, *Shamana* and *Panchakarma* procedures.

14. Paka Viruddha – Cooking Incompatibility

Improper cooking may alter food properties and digestibility. Repeated consumption of inadequately or improperly cooked food may contribute to *Agni Dushti*.

15. Samyoga Viruddha – Combination Incompatibility

Incompatibility produced by combining two or more substances is *Samyoga Viruddha*. Classical combinations such as fish with milk are relevant to *Kushtha* because

incompatible food combinations are specifically mentioned among its *Nidanas*.

16. *Hridaya Viruddha* – Incompatibility with Individual Preference

Food that is strongly unpleasant or unacceptable to an individual may adversely influence the eating process and digestion. This highlights the importance of individual suitability in dietary assessment.

17. *Sampat Viruddha* – Quality/Ripeness Incompatibility

Food that is immature, excessively mature, deteriorated or deficient in desirable qualities may become unsuitable. *Nava Anna* mentioned in *Kushtha Nidana* highlights the importance of food quality and maturity.

18. *Vidhi Viruddha* – Violation of Rules of Eating


Consumption of food contrary to the prescribed dietary rules, including improper timing, quantity, combinations and eating without considering digestion, may disturb *Agni* and *Dosha* balance and contribute to *Kushtha*.

Specific *Viruddha Ahara* and Dietary Factors Mentioned in *Kushtha Nidana*

In addition to these eighteen conceptual categories, *Charaka* specifically describes *Virodhi Annapana*, excessive *Guru-Snigdha* food, *Ajirna Adhyashana*, *Nava Anna*, *Dadhi*, *Matsya*, excessive *Lavana* and *Amla*, *Masha*, *Mulaka*, *Pishtanna*, *Tila*, *Ksheera* and *Guda*, along with certain improper dietary practices, as factors associated with *Kushtha*. These provide direct classical support for the dietary role in its pathogenesis.

Pathogenetic Relationship Between *Viruddha Ahara* and *Kshudra Kushtha*

The possible Ayurvedic sequence may be represented as.



Role of *Agni* and *Ama*

Agni occupies a central position in Ayurvedic understanding of health and disease. Repeated intake of

unsuitable food, excessive food, heavy food or food taken before digestion of the previous meal may impair *Agni*.

Once *Agni* becomes disturbed, proper transformation of *Ahara* into progressively nourished *Dhatus* may be affected. The resulting improperly processed metabolic material is conceptually described as *Ama*.

Viruddha Ahara may therefore act as an initiating dietary factor, while *Agnidushti* and *Ama* provide an intermediate pathological link between inappropriate diet and tissue-level pathology.^[12]

Āyurvarṇo balaṃ svāsthyaṃ utsāhopacayau prabhā | Ojastejo'gnayaḥ prāṇās cokta dehāgnihetukāḥ ||

Acharya Charak stated longevity, normal complexion, strength, health, enthusiasm, proper nourishment and development, bodily luster, *Ojas*, *Tejas*, the various forms of *Agni*, and *Prana* are described as being dependent upon the proper functioning of *Dehagni* (the collective metabolic processes responsible for digestion and transformation within the body). Thus, *Dehagni* is considered an essential basis for the maintenance of life and physiological functions.^[13]

Śānte'gnau mriyate, yukte ciraṃ jīvaty anāmayaḥ | Rogī syād vikṛte, mūlam agnis tasmān nirucyate ||

When *Agni* becomes completely inactive, life comes to an end; when it functions properly, a person remains healthy and enjoys longevity. When *Agni* becomes disturbed or impaired, disease may develop. Therefore, *Agni* is regarded as the fundamental basis for health, disease prevention, and the maintenance of life.^[14]

Role of *Dosha* in *Kshudra Kushtha*

Sarvāṇi Kuṣṭhāni Savātāni Sapittāni Saśleṣmāṇi Sakrimīṇi Ca Bhavanti, Utsannatastu Doṣagrahaṇāt Prabhāvāt Durbala Doṣasya Tiraskārāt Balavad Doṣasya Grahaṇam.

All types of *Kuṣṭha* are associated with *Vāta*, *Pitta*, *Kapha*, and *Krimi*. However, among the three *Doṣas*, the *Doṣa* that becomes predominant due to its greater strength suppresses the weaker *Doṣas*. Therefore, the predominant *Doṣa* is considered responsible for the manifestation of the disease.^[15]

Although individual types of *Kshudra Kushtha* may show predominance of particular *Doshas*, *Kushtha* as a disease group is considered *Tridoshaja*. The disturbed *Doshas* interact with susceptible *Dhatus* and produce different clinical patterns.

Vata

Vata predominance may be associated with dryness, roughness, fissuring, altered sensation and irregular distribution of lesions.

Pitta

Pitta involvement may contribute to redness, burning sensation, inflammation, tenderness and changes in pigmentation.

Kapha

Kapha involvement may manifest through itching, heaviness, thickening, exudation and increased stability or chronicity of lesions.

Therefore, *Viruddha Ahara* may not produce an identical skin manifestation in every individual. The clinical expression may depend on *Prakriti*, *Dosha* predominance, *Agni*, *Satmya*, habitual diet, season and the affected *Dhatu*.

Role of Dhatu Dushiti

Classical *Kushtha* pathogenesis involves multiple *Dhatus*, particularly *Tvak*, *Rakta*, *Mamsa* and *Lasika*.^[14]

The dietary insult may initially affect digestion and *Dosha* balance, but persistent exposure can theoretically extend the pathological process towards tissue involvement. This explains why the classical description of *Kushtha* is broader than a localized disorder of the skin.

From this perspective, *Kshudra Kushtha* can be understood as the clinical expression of a *Dosha-Dushya* interaction in which the skin and associated tissues become involved.

Modern Scientific Correlation & Contemporary Relevance

Modern biomedical science and nutritional immunology provide striking parallels to the mechanisms outlined in Ayurvedic texts.

Food Incompatibility & Gut Permeability ("Leaky Gut"): Combining foods that alter osmotic balance or destabilize digestive enzymes (such as heating honey which forms high concentrations of 5-hydroxymethylfurfural [HMF], or combining hot and ice-cold items) triggers mucosal irritation. This induces increased intestinal permeability, allowing macromolecular antigens, lipopolysaccharides (LPS), and incompletely digested peptides into the circulation.^[16]

Systemic Low-Grade Inflammation & Cytokine Storm: These absorbed antigens mirror the properties of *Ama*. The immune system identifies them as xenobiotics, triggering Toll-Like Receptors (TLRs) and unleashing pro-inflammatory cytokines such as TNF- α , IL-17, IL-23, and IL-6, which are hallmarks of chronic inflammatory skin disorders like psoriasis, eczema, and dermatitis.^[17]

Advanced Glycation End-Products (AGEs): Combining sugars with high-fat proteins under excessive thermal stress (mimicking *Paka* and

Samskara Viruddha) forms AGEs. AGEs bind to their receptors (RAGE) on dermal fibroblasts and keratinocytes, stimulating sustained oxidative stress, reactive oxygen species (ROS) generation, and premature epidermal senescence.

Histamine & Mast Cell Degranulation: Certain combinations (e.g., shellfish/fish and dairy, fermented curds at night) exhibit high histamine-releasing potential, directly provoking mast cell degranulation, microvascular leakage, and cutaneous pruritus characteristic of *Vicharchika* and *Pama*.

DISCUSSION

Viruddha Ahara is a comprehensive Ayurvedic concept of dietary incompatibility that includes not only incompatible food combinations but also inappropriate quantity, season, digestive capacity, preparation, potency, timing and individual condition. Its relevance in *Kushtha* is clearly reflected in the classical texts, where *Virodhinya Annapana* and several improper dietary practices are described among the etiological factors of the disease.

In the *Ayurvedic* perspective, repeated intake of *Viruddha Ahara* may impair *Agni*, leading to improper digestion and *Ama* formation, followed by *Dosha Prakopa* and *Srotodushiti*. Further involvement of *Dhatus* such as *Tvak*, *Rakta*, *Mamsa* and *Lasika* may contribute to the manifestation or aggravation of *Kushtha*. In *Kshudra Kushtha*, these factors may act as initiating or aggravating dietary influences in susceptible individuals.

Thus, dietary assessment should consider the complete pattern of eating rather than focusing only on individual food items. The physician should enquire about food combinations, quantity, meal timing, preparation, seasonal suitability, digestive capacity and the interval between meals. Although modern research provides supportive concepts related to diet, inflammation and metabolic disturbances, direct equivalence between *Viruddha Ahara* and a specific modern mechanism cannot yet be established. Further clinical and experimental studies are needed to validate these associations.

CONCLUSION

Viruddha Ahara is a multidimensional Ayurvedic concept that has important etiological and preventive relevance in *Kushtha*, including *Kshudra Kushtha*. Therefore, *Viruddha Ahara* should not be considered merely a list of incompatible food combinations. A comprehensive dietary history covering food combination, quantity, timing, preparation, season, potency and digestive capacity can provide useful information for identifying possible dietary triggers. Avoidance of individually inappropriate dietary practices, along with proper dietary regulation, may support the prevention of recurrent manifestations of

Kshudra Kushtha. Further well-designed clinical and experimental research is required to establish the relationship between specific types of *Viruddha Ahara* and measurable dermatological, inflammatory and metabolic outcomes.

REFERENCES

1. Shastri Satya Narayan, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.1. Nidanasthan Chapter 5verse 3, page no. 641 reprint edition, Varanasi Chaukhambha Visvabharati, 2011.
2. Shastri Satya Narayan, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.2. Chikitsasthan Chapter 7verse 4-8, page no. 248 reprint edition, Varanasi Chaukhambha Visvabharati, 2011.
3. Shastri Ambikadutta, editor. Sushrut Samhita of Maharshi Sushrut. Reprint. Vol. 1. Nidanasthan, chapter 5, verse 3 page no. 319 Varanasi: Chaukhambha Sanskrit Sansthan, 2014.
4. Shastri Ambikadutta, editor. Sushrut Samhita of Maharshi Sushrut. Reprint. Vol. 1. Nidanasthan, chapter 5, verse 30 page no. 324 Varanasi: Chaukhambha Sanskrit Sansthan, 2014.
5. Gupt Kaviraj Atrideva Ashtanga Hridaya of Vagbhata, Nidanasthan chapter 14 verse 1-3 page no.369 Chaukhambha Sanskrit Sansthan, Varanasi 2014.
6. Amarkosh V.S.S.page number 936.
7. Shastri Satya Narayan, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.2. Chikitsasthan Chapter 7verse 13, page no. 250 reprint edition, Varanasi Chaukhambha Visvabharati, 2011.
8. Shastri Satya Narayan, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.1. Nidanasthan Chapter 5verse 3, page no. 641 reprint edition, Varanasi Chaukhambha Visvabharati, 2011.
9. Shastri Satya Narayan, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.2. Chikitsasthan Chapter 7verse 13, page no. 250 reprint edition, Varanasi Chaukhambha Visvabharati, 2011.
10. Shastri Satya Narayan, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.1. Sutrasthan Chapter 26verse 85-101, page no. 521-523s reprint edition, Varanasi Chaukhambha Visvabharati, 2011.
11. Shastri Satya Narayan, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.1. Sutrasthan Chapter 26verse 85, page no. 521 reprint edition, Varanasi Chaukhambha Visvabharati, 2011.
12. Shastri Satya Narayan, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.1. Vimanasthan Chapter 6verse 12, page no. 719 reprint edition, Varanasi Chaukhambha Visvabharati, 2011.
13. Tripathi Ravi Dutt, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.2. Chikitsasthan Chapter 15verse 3, page no. 358 reprint edition, Varanasi Chaukhambha Visvabharati, 2016.
14. Tripathi Ravi Dutt, editor Charak Samhita of Agnivesh revised by Charak and Drdhabala, Vol.2. Chikitsasthan Chapter 15 verse 4, page no. 358 reprint edition, Varanasi Chaukhambha Visvabharati, 2016.
15. Shastri Ambikadutta, editor. Sushrut Samhita of Maharshi Sushrut. Reprint. Vol. 1. Nidanasthan, chapter 5, verse 6 page no. 320 Varanasi: Chaukhambha Sanskrit Sansthan, 2014.
16. Boehncke WH, Schön MP. Psoriasis. *Lancet*, 2015; 386(9997): 983-994.
17. Griffiths CEM, Barker JN. Psoriasis. In: *Rook's Textbook of Dermatology*. 9th ed. Wiley-Blackwell, 2016; p. 35.1-35.48.
18. Dogra S, Mahajan R. Psoriasis: Epidemiology, clinical features, comorbidities, and treatment. *Indian J Dermatol Venereol Leprol*, 2016; 82(5): 487-492.