

**A REVIEW ON INFLUENTIAL FACTORS AFFECTING THE THERAPEUTIC
EFFECT OF AYURVEDIC DRUGS: DESHA, KALA, MATRA AND ANUPANA*****Vd. Harshali B. Bhakare**

Department of Dravyaguna, Under the Guidance of Dr. Amit Awalskar, Sumatibhai Shah Ayurvedic Mahavidyalaya, Hadapsar, Pune.

***Corresponding Author: Vd. Harshali B. Bhakare**

Department of Dravyaguna, Under the Guidance of Dr. Amit Awalskar, Sumatibhai Shah Ayurvedic Mahavidyalaya, Hadapsar, Pune. DOI: <https://doi.org/10.5281/zenodo.23828717>

How to cite this Article: *Vd. Harshali B. Bhakare (2026). A Review On Influential Factors Affecting The Therapeutic Effect Of Ayurvedic Drugs: Desha, Kala, Matra And Anupana. World Journal of Pharmaceutical and Medical Research, 12(11), 105–108.

This work is licensed under Creative Commons Attribution 4.0 International license.



Article Received on 19/09/2026

Article Revised on 09/10/2026

Article Published on 01/11/2026

ABSTRACT

Ayurveda recognizes that the therapeutic action of a medicinal substance is influenced not only by its inherent properties but also by contextual factors. Among these, Desha (place), Kala (time), Matra (dose) and Anupana (vehicle/co-administered substance) have particular importance in Dravyaguna and clinical practice. Desha may influence growth, quality and phytochemical profile; Kala influences collection, seasonal variation, storage and timing of administration; Matra determines the quantity required for an appropriate therapeutic response; and Anupana may influence administration, palatability, tolerability, absorption and therapeutic response. These concepts demonstrate the individualized nature of Ayurvedic pharmacotherapy. The same drug may not produce identical effects when obtained from different ecological regions, collected at different stages, administered in an inappropriate quantity or given with an unsuitable Anupana. Contemporary pharmacognosy, pharmacology and chronopharmacology provide useful parallels. This review examines Desha, Kala, Matra and Anupana, their influence on drug quality and therapeutic action, and their clinical and research relevance.

KEYWORDS: Desha; Kala; Matra; Anupana; Dravyaguna; Ayurvedic pharmacology; herbal drugs; therapeutic efficacy; seasonal variation; individualized medicine.

1. INTRODUCTION

Dravyaguna Shastra provides a comprehensive understanding of medicinal substances through Rasa, Guna, Virya, Vipaka and Prabhava. However, therapeutic response is not determined solely by inherent properties. Place of origin, time of collection, stage of administration, dose, vehicle and patient characteristics can significantly influence the outcome.^[6]

Among these, Desha, Kala and Matra are important determinants of Ayurvedic drug action, while Anupana is an important adjunct in rational administration. Desha may influence quality and potency through geographical and environmental factors; Kala is relevant to seasonal variation, maturity, collection and timing; Matra determines the quantity required for desired effect and safety; and Anupana may support appropriate delivery and therapeutic action.^[1-6]

These principles reflect individualized drug therapy and can be studied alongside modern concepts of

geographical phytochemical variation, seasonal changes, chronopharmacology, dose-response and drug-delivery factors.^[1-6]

2. AIM AND OBJECTIVES

Aim: To review the influence of Desha, Kala, Matra and Anupana as influential factors affecting the therapeutic effect of Ayurvedic drugs from the perspective of Dravyaguna and contemporary pharmacology.

OBJECTIVES

1. To explain the classical significance of Desha, Kala and Matra.
2. To discuss the influence of geographical factors on medicinal drug quality.
3. To explain the importance of appropriate season and stage of collection.
4. To examine the role of timing in drug administration.
5. To discuss Matra as a determinant of efficacy and safety.

6. To identify contemporary research applications of these principles.

3. MATERIALS AND METHODS

The present work is a narrative review of classical and contemporary literature. Major Ayurvedic references including Charaka Samhita, Sushruta Samhita, Ashtanga Hridaya, Bhavaprakasha Nighantu and Sharangadhara Samhita were considered for classical concepts. Standard texts of Dravyaguna, pharmacognosy and pharmacology were used for interpretation of drug quality, phytochemical variability and dose-response concepts. Relevant principles of medicinal plant cultivation, collection, standardization and rational drug administration were integrated to provide a clinically oriented review.

4. Desha: Concept and Significance

Desha broadly means place, region or geographical environment. In Ayurveda, Desha is relevant both to the medicinal substance and to the individual receiving treatment. Soil, water, climate, vegetation and ecological conditions contribute to the nature of a region and may influence growth and quality of medicinal plants.^[1,6]

From the Dravyaguna perspective, geographical origin can be an important source of variation. The same botanical species cultivated in different regions may show differences in morphology, biomass, essential-oil composition, phenolic content, alkaloid concentration or other marker constituents, potentially affecting pharmacological activity.^[6-8]

4.1 Desha and Quality of Dravya

Soil nutrients, pH, water availability, temperature, altitude, sunlight and biotic stress can influence plant metabolism and secondary metabolites. Therefore, documentation of place of collection, cultivation conditions and season can improve batch-to-batch reproducibility.^[7,8,10]

Desha → environmental conditions → plant growth and metabolism → phytochemical profile → therapeutic potential.

4.2 Desha in Relation to the Patient

Desha also has clinical significance because environmental conditions influence exposure to temperature, humidity, food habits and lifestyle. Ayurveda considers Desha among factors influencing Dosha and suitability of therapeutic measures. Treatment may therefore require modification according to environment, strength and disease condition.^[1-3,6]

5. Kala: Concept and Significance

Kala means time and includes seasonal changes, day-night variation, stage of disease, stage of plant growth and appropriate time for therapeutic administration.^[1-3,6] For medicinal plants, phytoconstituent concentration may change during growth and across seasons. A plant collected at an immature stage may not possess the same

therapeutic profile as one collected after appropriate maturity.

5.1 Kala and Collection of Drugs

Different plant parts reach optimum medicinal quality at different stages. Roots and rhizomes may be collected after adequate development; leaves when mature and healthy; flowers at an appropriate flowering stage; and fruits and seeds after suitable maturity.^[6-8] Collection, drying and storage should minimize contamination, degradation and loss of constituents. Thus, Kala extends from cultivation and harvesting to processing and storage.^[7,10]

5.2 Seasonal Variation in Phytoconstituents

Temperature, rainfall, humidity, sunlight, photoperiod and soil moisture can alter biosynthetic pathways and secondary metabolites.^[7,8] If samples are collected from different seasons without documenting the collection period, inconsistent phytochemical results may occur. Thus: Season and maturity → phytochemical variation → biological activity → therapeutic response.

6. Kala and Time of Drug Administration

Kala is important after a drug has been prepared. Ayurvedic therapeutics gives importance to timing in relation to food, digestion, Dosha, disease and intended action. A medicine administered before food may have a different therapeutic purpose from the same medicine administered after food, and timing can influence tolerability and interaction with digestion.^[1-3,6] Modern chronopharmacology similarly examines how biological rhythms and timing influence absorption, metabolism, receptor activity and therapeutic response.

7. Matra: Concept of Dose

Matra denotes the appropriate quantity of a drug. It is central to safe and effective therapy because pharmacological effect depends on the amount administered.^[4,6] Ayurvedic dose selection is individualized and considers Dravya potency along with age, Bala, Agni, Roga Bala, Satmya, digestive capacity and dosage form.^[1-4,6]

Inadequate Matra → insufficient therapeutic response; Appropriate Matra → desired therapeutic response; Excessive Matra → increased risk of undesirable or toxic effects. This is conceptually comparable to the modern dose-response relationship.

7.1 Factors Affecting Matra

Age: dose may require adjustment according to age and development.^[4,6] Bala: physical strength and tolerance influence quantity. Agni: digestive and metabolic capacity is important. Roga Bala: intensity and stage of disease influence requirements. Dravya Bala: drugs differ in potency. Dosage form: Swarasa, Kalka, Kwatha, Hima, Phanta, Churna, Vati, Ghrita and Taila have different concentrations and characteristics. Satmya: individual suitability and tolerance should be considered.

Anupana: the vehicle or co-administered substance may modify administration and therapeutic response and is therefore part of the overall dosing strategy.^[4,6]

8. Anupana: Concept and Therapeutic Significance

Anupana refers to the vehicle or co-administered substance used along with a medicinal drug. It is an important component of rational Ayurvedic administration and may influence palatability, tolerability, dissolution, gastrointestinal handling, absorption and therapeutic response. Selection depends on the nature of the Dravya, disease condition, Dosha, Agni, age, Bala, dosage form and intended therapeutic action.

8.1 Role of Anupana in Therapeutic Effect

An appropriate Anupana may facilitate administration and support the intended action of a medicine. The same drug given with different vehicles may differ in acceptability, handling and clinical response. Hence, Anupana should be considered together with Matra and Kala rather than as an afterthought. Its selection should be rational, compatible and individualized.

8.2 Factors Influencing Selection of Anupana

Important factors include drug properties, disease condition, Dosha, Agni, patient's age and Bala, dosage form, therapeutic objective and compatibility. The vehicle should be selected according to the clinical context and should not compromise the intended action or tolerability of the medicine.

8.3 Anupana and Administration

Anupana can influence the practical delivery of a formulation by improving acceptability and supporting appropriate administration. Its importance is particularly relevant when dosage forms have specific taste, consistency or gastrointestinal handling requirements. Thus, the choice of Anupana forms part of individualized Ayurvedic prescribing.

8.4 Anupana and Contemporary Perspective

From a contemporary perspective, a co-administered vehicle may influence dissolution, gastrointestinal handling, absorption and tolerability. These parallels provide scope for systematic research on traditional Anupana selection. Classical and modern concepts should, however, not be considered identical; rather, modern methods may be used to investigate measurable effects associated with traditional administration practices.^[6-9]

Desha, Kala, Matra and Anupana act at interconnected levels: Desha may influence the raw drug; Kala may influence collection, quality and timing; Matra determines the amount delivered; and Anupana may influence administration and therapeutic response.

Therefore: Authentic Dravya + appropriate Desha + appropriate Kala + suitable processing + appropriate

Matra + suitable Anupana + suitable patient = optimized therapeutic potential.

10. Clinical Significance

These influential factors have direct clinical applications. Authentic and correctly identified raw drugs should be selected; season and maturity at collection should be documented; standardization should consider geographical and seasonal variation; dose should be individualized; administration time should suit the drug, disease and digestive state; and Anupana should be selected according to the drug and patient. These principles are relevant to physicians, pharmacists and researchers because failure to account for such variables may contribute to variability in therapeutic outcomes.

11. Contemporary Correlation

The classical principles can be correlated with modern scientific concepts:^[6-9] Desha — geographical variation, agroclimatic influence and chemotypic variation; Kala — seasonal variation, plant maturity and chronopharmacology; Matra — dose-response relationship, therapeutic window and safety; Anupana — aspects of vehicle-assisted administration, dissolution, gastrointestinal handling and tolerability; Drug quality — pharmacognostic authentication, physicochemical evaluation and phytochemical standardization; Individualized treatment — patient-specific dosing and personalized medicine.

These correlations do not imply that classical and modern concepts are identical. They identify areas in which contemporary research can investigate classical observations using measurable parameters.

12. Research Perspectives

Desha-based research can compare the same medicinal species collected from different ecological regions using pharmacognostic, physicochemical and chromatographic parameters. Kala-based research can evaluate seasonal variation in marker compounds and biological activity using HPTLC, HPLC, GC-MS or LC-MS as appropriate.^[7,8] Matra-based studies can evaluate dose-response relationships, minimum effective dose, maximum tolerated dose and safety parameters.^[9] Anupana-based studies can investigate how different vehicles influence dissolution, pharmacokinetic parameters, tolerability and defined pharmacological outcomes. An integrated design can evaluate the interaction of geographical origin, harvesting season, dose and Anupana on a defined therapeutic outcome.

13. DISCUSSION

The therapeutic activity of an Ayurvedic drug should not be viewed as a fixed property independent of context. Desha, Kala, Matra and Anupana represent important variables influencing the final outcome.^[1-10] Desha draws attention to ecological and geographical influences; Kala emphasizes the dynamic nature of biological materials and timing; Matra brings attention to dose and patient-

specific variables; and Anupana highlights the importance of the vehicle used during administration.

for Medicinal Plants. Geneva: World Health Organization.

Without proper authentication and documentation, geographical and seasonal variation may contribute to batch variability. Even a high-quality drug may not produce predictable benefit if the dose, timing or Anupana is inappropriate. Taken together, these principles provide a useful framework connecting pharmacognosy, drug standardization and clinical therapeutics. Future research should examine these variables systematically rather than treating them as isolated concepts.

14. CONCLUSION

Desha, Kala, Matra and Anupana are clinically relevant determinants of the therapeutic effect of Ayurvedic drugs. Desha influences environmental conditions and may influence quality and phytochemical profile; Kala affects growth, maturity, collection, seasonal variation and timing of administration; Matra determines whether the quantity is adequate for intended response while maintaining safety; and Anupana may influence administration, tolerability, delivery and therapeutic response.^[1-10]

Integration of these factors provides a rational basis for authentic drug selection, appropriate collection, standardization, individualized dosing and rational administration. Their scientific investigation through pharmacognostic, phytochemical, pharmacological and clinical methods may provide valuable evidence for contemporary Dravyaguna. Thus, these factors should be understood as practical determinants of drug quality, efficacy and safety rather than merely theoretical concepts.

15. REFERENCES

1. Agnivesha, Charaka, Dridhabala. Charaka Samhita, Sutra Sthana. Varanasi: Chaukhambha Bharati Academy.
2. Sushruta. Sushruta Samhita, Sutra Sthana. Varanasi: Chaukhambha Sanskrit Sansthan.
3. Vagbhata. Ashtanga Hridaya, Sutra Sthana. Varanasi: Chaukhambha Orientalia.
4. Sharangadhara. Sharangadhara Samhita. Varanasi: Chaukhambha Orientalia.
5. Bhavamishra. Bhavaprakasha Nighantu. Varanasi: Chaukhambha Bharati Academy.
6. Sharma PV. Dravyaguna Vijnana. Varanasi: Chaukhambha Bharati Academy.
7. Kokate CK, Purohit AP, Gokhale SB. Pharmacognosy. Pune: Nirali Prakashan.
8. Evans WC. Trease and Evans' Pharmacognosy. London: Elsevier.
9. Brunton LL, Hilal-Dandan R, Knollmann BC, editors. Goodman & Gilman's The Pharmacological Basis of Therapeutics. New York: McGraw-Hill.
10. World Health Organization. WHO Guidelines on Good Agricultural and Collection Practices (GACP)