WJPMR, 2026, 12(11), 555-557

Review Article

WORLD JOURNAL OF PHARMACEUTICAL AND MEDICAL RESEARCH

www.wjpmr.com

Impact Factor: 7.555

ISSN (O): 2455-3301

ISSN (P): 3051-2557

Coden USA: WJPMBB

A CONCEPTUAL STUDY ON THE PHYSIOLOGICAL AND PATHOLOGICAL RELATIONSHIP BETWEEN MEDA DHATU AND ASTHI DHATU IN AYURVEDA

[*1]Charuta Parlewar, [2]Ujjwala Upadhyay, [3]Smita Aswar

India.

***Corresponding Author: Charuta Parlewar**

India

DOI: https://doi.org/10.5281/zenodo.24559639

How to cite this Article: [*1]Charuta Parlewar, [2]Ujjwala Upadhyay, [3]Smita Aswar. (2026). A Conceptual Study on The Physiological and Pathological Relationship Between Meda Dhatu and Asthi Dhatu In Ayurveda. World Journal of Pharmaceutical and Medical Research, 12(11), 555–557.

This work is licensed under Creative Commons Attribution 4.0 International license.

Article Received on 06/10/2026 **Article Revised on 26/10/2026** **Article Published on 01/11/2026**

1. ABSTRACT

In Ayurvedic physiology, the structural and functional integrity of the human body is maintained by seven foundational tissues known as the *Sapta Dhatus*. Among these, *Meda Dhatu* (adipose tissue) and *Asthi Dhatu* (bone tissue) occupy the fourth and fifth positions, respectively, sharing a direct precursor-product relationship. According to the classical doctrine of sequential tissue transformation (*Ksheera-Dadhi Nyaya*), *Asthi Dhatu* is synthesized directly from the subtle nutrient essence (*Poshaka Meda*) of *Meda Dhatu* under the metabolic influence of tissue-specific fires (*Medo Dhatvagni* and *Asthi Dhatvagni*). Furthermore, classical texts designate *Meda Dhatu* alongside the pelvic region (*Jaghana*) as the anatomical and functional root (*Moolasthana*) of the bone-carrying channels (*Asthivaha Srotas*). Consequently, both depletion (*Medo Kshaya*) and pathological excess leading to channel obstruction (*Medo Vriddhi* and *Margavarodha*) directly impair skeletal nourishment, precipitating bone degeneration (*Asthi Kshaya*). This review examines classical Ayurvedic principles governing the *Meda–Asthi* axis and highlights contemporary physiological parallels, including shared mesenchymal stem cell lineage and adipose-bone endocrine crosstalk.

2. KEYWORDS:

Ayurveda, *Meda Dhatu*, *Asthi Dhatu*, *Dhatu Poshana*, *Dhatvagni*, *Asthivaha Srotas*, *Moolasthana*, *Margavarodha*, Adipose-Bone Axis, Osteoporosis.

3. INTRODUCTION

Ayurveda conceptualizes the human organism as a dynamic, self-sustaining matrix governed by the interplay of *Dosha* (functional energies), *Dhatu* (structural tissues), and *Mala* (metabolic waste products). The term *Dhatu* is derived from the Sanskrit root *"Dha,"* signifying that which supports, sustains, and nourishes the body. The seven *Dhatus—Rasa* (plasma/lymph), *Rakta* (blood), *Mamsa* (muscle), *Meda* (adipose/fat), *Asthi* (bone/cartilage), *Majja* (bone marrow/nervous tissue), and *Shukra* (reproductive tissue)—are arranged in a precise metabolic hierarchy.

Within this seven-tier cascade, the relationship between ***Meda Dhatu*** and ***Asthi Dhatu*** represents a critical physiological nexus. While *Meda Dhatu* provides lubrication (*Snehana*), thermal insulation, and energy storage, *Asthi Dhatu* provides mechanical support, posture, and protection to vital organs (*Dharana*). Unlike modern anatomy, which historically viewed adipose tissue primarily as an inert energy depot separate from the skeletal framework, classical Ayurveda established thousands of years ago that skeletal health is fundamentally dependent on healthy lipid metabolism. Understanding this interdependence provides crucial diagnostic and therapeutic insights into metabolic bone disorders such as osteopenia, osteoporosis, and osteoarthritis.

4. AIM AND OBJECTIVES

AIM: To critically evaluate and elucidate the physiological, metabolic, and pathological relationship between *Meda Dhatu* and *Asthi Dhatu* as described in classical Ayurvedic treatises and correlate these principles with contemporary biomedical concepts.

OBJECTIVES

- To examine the elemental (*Panchamahabhuta*), doshic, and functional attributes of *Meda Dhatu* and *Asthi Dhatu*.

- To analyze the metabolic mechanism of *Asthi Dhatu* formation from *Meda Dhatu* through the action of *Dhatvagni* and *Dhatu Poshana Nyayas*.
- To explore the significance of *Meda Dhatu* as the *Moolasthana* (root) of *Asthivaha Srotas*.
- To evaluate the etiopathogenesis (*Samprapti*) of bone degeneration resulting from both deficiency (*Kshaya*) and excess (*Vriddhi*) of *Meda Dhatu*.
- To identify modern physiological and endocrinological parallels supporting the Ayurvedic *Meda–Asthi* axis.

5. MATERIALS AND METHODS

This study is a literary and conceptual review based on classical Ayurvedic texts and contemporary scientific literature:

- **Primary Classical Sources:** Comprehensive scrutiny of the *Brihatrayi*—specifically *Charaka Samhita* (*Sutra Sthana*, *Vimana Sthana*, and *Chikitsa Sthana*), *Sushruta Samhita* (*Sutra Sthana* and *Sharira Sthana*), and *Ashtanga Hridaya*—along with classical commentaries by Chakrapanidatta (*Ayurveda Dipika*) and Dalhana (*Nibandhasangraha*).
- **Secondary and Modern Sources:** Review of peer-reviewed biomedical articles indexed in PubMed and Google Scholar exploring mesenchymal stem cell differentiation, adipokines (leptin, adiponectin), and the pathophysiology of obesity-induced bone fragility.
- **Analytical Method:** Classical Sanskrit verses (*Shlokas*) pertaining to *Dhatu Utpatti* (tissue genesis), *Srotomoola* (channel roots), and *Ashraya-Ashrayi Bhava* were compiled, translated, and systematically synthesized to establish a coherent physiological and clinical framework.

6. DISCUSSION

Comparative Physiological Profile of Meda and Asthi Dhatu

Both *Meda* and *Asthi* share the solidifying *Prithvi* (Earth) element, which gives them physical substance, yet their secondary elemental and doshic compositions dictate distinct physiological roles.

Attribute	***Meda Dhatu* (Adipose Tissue)**	***Asthi Dhatu* (Bone Tissue)**
Hierarchical Position	4th *Dhatu* (synthesized from *Mamsa Dhatu*)	5th *Dhatu* (synthesized from *Meda Dhatu*)
***Panchabhautika* Composition**	*Jala* (Water) + *Prithvi* (Earth)	*Prithvi* (Earth) + *Vayu* (Air) + *Agni* (Fire)
***Dosha* Relationship**	*Kapha Dosha* (Directly proportional)	*Vata Dosha* (Inversely proportional)
Primary Function (*Karma*)	*Snehana* (Unctuousness, lubrication, insulation)	*Dharana* (Structural support, posture, protection)
***Upadhatu* (Secondary Tissue)**	*Snayu* (Ligaments, tendons, fascia)	*Danta* (Teeth)
***Mala* (Metabolic Byproduct)**	*Sweda* (Sweat)	*Kesha* (Scalp hair), *Loma* (Body hair), *Nakha* (Nails)

6.2 Metabolic Transformation: Dhatu Poshana and Dhatvagni

According to *Charaka Samhita* (*Chikitsa Sthana* 15/16), each tissue possesses its own specific metabolic fire (*Dhatvagni*). When nutrient plasma (*Ahara Rasa*) nourishes *Mamsa Dhatu*, the resulting essence is acted upon by *Medo Dhatvagni* to produce *Meda Dhatu*. Subsequently, *Medo Dhatvagni* bifurcates this tissue into two fractions

- ***Poshya Meda* (Sthayi Dhatu):** The stable structural fat that remains within adipose depots to perform lubrication and energy storage.
- ***Poshaka Meda* (Asthayi Dhatu):** The subtle, mobile precursor essence that is transported to the bone channels to synthesize *Asthi Dhatu*.

As explained by A*"Medasastu asthi jayate..." — Charaka Samhita, Chikitsa Sthana 15/16*

"Prithivyagnianiladinam sanghatah svoshmana kritah | Kharatvam prapya medaso asthi jayate ||" — Sushruta Samhita, Sutra Sthana 14/10

charya Sushruta, when the soft, unctuous essence of *Meda Dhatu* is acted upon by *Asthi Dhatvagni* alongside *Prithvi* (Earth), *Agni* (Fire), and *Vayu* (Air) elements, it undergoes desiccation, compaction, and mineralization. *Vayu* creates the microscopic porosity (trabecular architecture) within the bone, while *Agni* and *Prithvi* impart hardness (*Kharatva*) and density.

6.3 Meda Dhatu as the Moolasthana of Asthivaha Srotas

In *Charaka Samhita* (*Vimana Sthana* 5/8), Acharya Charaka explicitly identifies ***Meda Dhatu*** and ***Jaghana*** (the pelvic girdle and hip region) as the *Moolasthana* (root of origin and governance) of the *Asthivaha Srotas* (micro-channels transporting nutrients to bone tissue). In Ayurvedic pathology, any dysfunction at the *Moolasthana* directly disrupts the entire channel network. Because *Meda* is the foundational root of *Asthivaha Srotas*, healthy adipose metabolism is an absolute prerequisite for uninterrupted bone remodeling.

6.4 Pathological Interdependence (Samprapti of Asthi Vikara)

Disturbances in *Meda Dhatu* trigger skeletal pathology through two distinct mechanisms

- ***Medo Kshaya* (Adipose Depletion):** Caused by malnutrition, excessive fasting, intense physical exertion, or chronic *Vata* aggravation. Insufficient *Poshaka Meda* starves *Asthi Dhatu*, leading to *Asthi Kshaya* (osteopenia/osteoporosis), joint cracking (*Sandhi Sphutana*), bone pain (*Asthi Shoola*), and brittleness of hair and nails.

- ***Medo Vriddhi* and *Margavarodha* (Adipose Excess and Channel Obstruction):** Paradoxically, excessive body fat also causes bone weakness. When *Medo Dhatvagni* is weak (*Mandagni*), immature, sticky fat accumulates in excess (*Sthaulya*). This excess *Meda* obstructs the micro-channels (*Margavarodha*), preventing nutrient essence from reaching *Asthi Dhatu*. Consequently, while adipose tissue expands, *Asthi Dhatu* becomes malnourished and porous, while trapped *Vata* in the channels accelerates degenerative joint changes (*Sandhivata*).

6.5 Correlation with Modern Biomedical Science

Contemporary biomedical research strongly validates the ancient Ayurvedic link between adipose and skeletal tissues:

- **Common Embryological and Cellular Origin:** Both adipocytes (fat cells) and osteoblasts (bone-forming cells) differentiate from common multipotent mesenchymal stem cells (MSCs) within the bone marrow. Factors that promote adipogenesis often suppress osteoblastogenesis, reflecting a direct inverse balance in bone marrow composition.

- **Endocrine and Inflammatory Crosstalk:** Modern physiology recognizes adipose tissue as an active endocrine organ secreting adipokines. In obesity (analogous to *Medo Vriddhi*), hypertrophic visceral fat secretes pro-inflammatory cytokines (such as TNF-alpha and IL-6) that stimulate osteoclast activity, increasing bone resorption and fracture risk despite higher body weight.

7. CONCLUSION

The relationship between *Meda Dhatu* and *Asthi Dhatu* exemplifies the holistic, systems-based physiology of Ayurveda. Far from functioning independently, adipose tissue acts as both the direct metabolic precursor (*Poshaka Dhatu*) and the structural root (*Moolasthana*) of the skeletal system. Optimal bone density and joint resilience depend not merely on calcium or mineral intake, but on balanced lipid metabolism mediated by robust *Medo Dhatvagni* and *Asthi Dhatvagni*. Clinically, preventing and managing degenerative bone disorders requires a dual strategy: nourishing *Meda Dhatu* through wholesome unctuous substances (*Snehana*) in depleted states, while clearing channel obstructions (*Srotoshodhana*) and kindling tissue metabolic fires in states of metabolic excess.

8. REFERENCES

1. Agnivesha. Charaka Samhita, revised by Charaka and Dridhabala, with Ayurveda Dipika commentary by Chakrapanidatta. Edited by Vaidya Jadavaji Trikamji Acharya. Varanasi: Chaukhamba Surbharati Prakashan; 2014. Sutra Sthana 28/4; Vimana Sthana 5/8; Chikitsa Sthana 15/16, 15/28–31.
2. Sushruta. Sushruta Samhita, with Nibandhasangraha commentary by Dalhanacharya. Edited by Vaidya Jadavaji Trikamji Acharya. Varanasi: Chaukhamba Orientalia; 2012. Sutra Sthana 14/10, 15/4; Sharira Sthana 4/12.
3. Vagbhata. Ashtanga Hridaya, with Sarvangasundara commentary of Arunadatta and Ayurvedarasayana commentary of Hemadri. Edited by Pt. Hari Sadashiva Shastri Paradakara. Varanasi: Chaukhamba Surbharati Prakashan; 2011. Sutra Sthana 11/4, 11/26–28.
4. Dwarakanath C. Introduction to Kayachikitsa. 3rd ed. Varanasi: Chaukhamba Orientalia; 1996. p. 112–138.
5. Muruganandan S, Roman AA, Sinal CJ. Adipocyte differentiation of bone marrow-derived mesenchymal stem cells: Cross talk with the osteoblastogenic program. Cellular and Molecular Life Sciences. 2009; 66(2): 236–253.
6. Cao JJ. Effects of obesity on bone metabolism. Journal of Orthopaedic Surgery and Research. 2011; 6: 30. This is for informational purposes only. For medical advice or diagnosis, consult a professional. AI responses may include mistakes.