

A REVIEW ARTICLE ON TAMAK SHWASA W.S.R TO CHRONIC OBSTRUCTIVE PULMONARY DISEASEVd. Abhishek K. Kokode^{1*} and Vd. Gayatri P. Choudhari²¹Associate Professor, Kriya Sharira Department of Vilas Rao Deshmuk Ayurvedic Medical College Mouda.²Assistant Professor, Kriya Sharira Department of Vilas Rao Deshmuk Ayurvedic Medical College Mouda.***Corresponding Author: Vd. Abhishek K. Kokode**

Associate Professor, Kriya Sharira Department of Vilas Rao Deshmuk Ayurvedic Medical College Mouda.

Article Received on 14/08/2024

Article Revised on 04/09/2024

Article Accepted on 24/09/2024

INTRODUCTION

Chronic Obstructive Pulmonary Disease (COPD) is 4th leading cause of death and its prevalence is increasing steadily due to lifestyle changes and unhealthy habits. COPD includes Chronic Bronchitis and Emphysema, it is 2nd most common lung disorder after Pulmonary TB. According to Ayurveda, clinical features of COPD can be correlated with disorders of Pranava Strotas dusti and occurs usually in prolonged conditions of Tamak Shwasa. Etiological factors include smoking, cold weather, dust, air pollution, chemicals etc which are also mentioned in Tamak Shwasa hetu- "Rajasa Dhoomvatabhyam Shitathanambusevanam Rukshanna Vishamashana". Identification, Treatment, Prevention and Control of COPD are important steps to be taken along with lifestyle modifications which are well.


According to modern

The main risk factors for COPD are tobacco smoking but other environmental exposures such as biomass fuel exposure and air pollution may contribute. Besides exposures, host factors predispose individuals to develop COPD. These include genetic abnormalities, abnormal lung development and accelerated aging. Smoking has traditionally been known to be the most important cause for COPD amounting to almost 85% of the COPD cases, the rest being classified as non-smoking COPD (in developed countries). In the developing countries, the most important risk factor for COPD could be indoor-air pollution arising from the use of biomass fuel, such as wood, cow dung and crop residues leads to release of air pollutants like SO₂, CO, NO₂, formaldehyde and particulate matters smaller than 10 micron in size in the ambient indoor air. Chronic exposure to these pollutants has been shown.

Nidan

In COPD, inhalation of toxic substances- particularly inhalation of tobacco smoke etc. causes inflammation of lung tissue. The inflammation results into tissue damage; if the normal protective and/ or repair mechanisms are overwhelmed or defective. The results of the lung tissue damage are mucus hyper secretion, airway narrowing and fibrosis, destruction of the parenchyma and vascular changes. These pathological changes lead to airflow limitation and the other physiological abnormalities resulting into clinical features of COPD.^[3,4,17] In classics also pathogenesis of Pranava Strotodusti described in

regards of Kasa and Shwasa resembles the above mention description and can be summarized as.^[7,17]

**Diagnosis**

COPD should be considered in any patient who has dyspnea, chronic cough or sputum production, and /or a history of exposure to risk factors for the disease. Spirometry is required to make the diagnosis; the presence of a postbronchodilator FEV₁/FVC <0.70 confirms the presence of persistent airflow limitation. The degree of airflow obstruction is an important prognosis factor in COPD and is the basis for the Global Initiative for Lung Disease (GOLD) severity classification.

Pharmacotherapy

For COPD is used to reduce symptoms, reduce the frequency and severity of exacerbations, and improve exercise tolerance and health status. The classes of medications commonly used to treat COPD are Bronchodilators, Antimuscarinic drugs, Methylxanthines, Combination bronchodilator therapy, Anti-inflammatory agents, Inhaled corticosteroids, Oral glucocorticoids, PDE4 inhibitors, Antibiotics, Mucolytics/antioxidants etc. Other treatments are Pulmonary rehabilitation, Oxygen therapy, Ventilatory support, Lung volume reduction surgery, Bullectomy, Lung transplantation, Bronchoscopic interventions.^[5, 8]

Pathya-Apathya and Yogic procedures

Medications alone won't be enough, however, to completely control COPD symptoms. Effective COPD treatment is required to take several lung healthy steps. Most importantly you must stop smoking if you currently smoke, because smoking is the single greatest cause of COPD and other respiratory problems. Life style changes can help people with COPD reduce their risk of getting infections. This is very important because infections are the most common cause of acute exacerbations, which are also called COPD flare-ups. Flare-ups happen when COPD symptoms suddenly get much worse, and cannot be relieved with the patient's regular medications or other therapies. During a pulmonary rehabilitation program, patients learn about several kinds of lifestyle changes that can help them to avoid infections and flare-ups. Some of these changes include quitting smoking, avoiding allergens and irritants, vaccinations, practicing good hygiene.^[1] Allergens and irritants are tiny particles in the air, and breathing them in can make COPD symptoms worse and increase the risk of flare-ups. Common allergens include pollen, dust and dust mites, pet dander, and mold etc. Not every COPD patient will be sensitive to allergens or to every type of allergen. But for those who are sensitive to certain allergens, being exposed to them can worsen COPD symptoms. Common irritants like dirty or wet rugs/ carpets can gather dust, dirt and mold, tobacco smoke, pesticides, chemicals in strong cleaning products, paint fumes, Air pollution outdoors, Burning fuel indoors (such as coal, wood, oil, gas or kerosene), asbestos, radon and carbon monoxide, Strongly scented soaps or fragrances. There are many steps that COPD patients can take to reduce the amount of allergens and irritants that they breathe in the home, the workplace and outdoors. This can help them control their symptoms and improve their quality of life. For people with COPD, respiratory infections such as the flu and pneumonia can be dangerous. These kinds of infections can cause severe COPD flare-ups and may even be life-threatening. For this reason patients with COPD should get vaccinations for the flu and pneumonia. Vaccines are a safe and effective way for COPD patients to strongly reduce their risk of getting these illnesses. Practicing good hygiene is a simple but effective way for COPD patients to reduce their risk of

getting infections. During a pulmonary rehabilitation program, patients learn about good hygiene practices.^[13]

The management strategy for COPD should be predominantly based on the individualized assessment of symptoms and future risk of exacerbations. All individuals who smoke should be strongly encouraged and supported to quit. The main treatment goals are reduction of symptoms and future risk of exacerbations. Management strategies are not limited to pharmacological treatments, and should be complemented by appropriate non pharmacological interventions.

Yoga procedures in the management of COPD^[11,14,18,20]

Yoga is an excellent form of exercise for anyone with COPD. Yoga practice is made up of two essential parts, physical postures, known as Asanas, and breathing techniques, known as Pranayamas. Meditation and relaxation are also key parts of regular Yoga practice. Breathing techniques: Pranayama breathing techniques can help to manage symptoms of breathlessness by strengthening the respiratory muscles. Relaxation techniques: Yoga encourages deep relaxation through breathing and meditation techniques. This helps to relieve stress and tension.

Yoga Asanas for COPD: (1) standing mountain pose: This straightforward pose requires standing tall to open up the chest. (2) Standing back bend: This pose also helps to open up the muscles of chest. (3) Seated forward bends: These poses help strengthen the respiratory system. (4) Standing side bends: These bends will help strengthen the diaphragm while also improving the flexibility of rib cage. There are many more Asanas that can be modified to help build strength and flexibility, specifically to help in COPD. The Yoga Breathing like Pursed-lip breathing and Diaphragm breathing are two techniques that have roots in Yoga. They are often taught to people with COPD as part of their pulmonary rehabilitation program. Yoga is generally safe, but be sure to take precautions as to avoid certain poses, keep inhalers nearby, stop if have short of breath.

DISCUSSION

COPD may be punctuated by periods of acute worsening of respiratory symptoms, called exacerbation. In most patients, COPD is associated with significant concomitant chronic diseases, which increase its morbidity. Worldwide, the most commonly encountered risk factor for COPD is tobacco smoking. COPD is the result of a complex interplay of long-term cumulative exposure to noxious gases and particles. Faulty diet and life style patterns form the basis of any disease, so identification, reduction and control of etiological factors of COPD mentioned in classical and modern literature include diet articles, food habits and life style errors, can play a major role in the prevention or progression of COPD. As per Ayurveda for the prevention or

management of any disease, there are three broad steps described as Nidanaparivarjana which includes life style modifications and diet pattern, Shamana (pacification treatment) and Shodhana (biopurifactory methods). Considering this the management of COPD can be summarized as

1. Avoidance of etiological factors: which means best way to stay healthy is to follow all such regimen which is suitable to one and avoid to factors which disturbs homeostasis.

2. Modification of life style which helps to reduce symptoms and improve quality of life like exercising regularly, taking fresh warm diet which is low in saturated fat but rich in fruits, vegetables and whole grain foods and maintaining a normal weight, to be in well ventilated hygienic environment. Waking up early in the at regular time and taking glass of warm water early morning empty stomach and avoiding Irregular and untimely eating of food may help to prevent from COPD.

3. Similarly due to importance diet articles may be done: Use of Katu, Lavana, Ushna, Snigdha, Laghuahara, vegetables including gourd, bottle gourd, Spinach, Methi, garlic, ginger, Karvelaka, Patola, Shigru etc. however, excessive use of tomato, cauliflower, potatoes, preparation of rice flour, sweets, curd, whole milk, black gram, coconut oil, fermented and sour food articles and cold drinks, refrigerated food articles etc. Shall be avoided in the daily diet.

4. Yogasana and Pranayama: Ayurveda understands the role of Pranayama regards to Prana, Tejas, and Ojas and their corresponding effects on the mind, relaxation along with conscious breathing of almost any type improves the functioning of the respiratory system. Yogic practices rehabilitate vital organs and make them functionally more competent. Bhujangasana, Savasana, Shalabhasana, Paschimotanasana is useful Asana for Pranava Srotasaas it accelerates the blood circulation of the lungs and thus increase the vital capacity of lung.

CONCLUSION

Healthy life style has great role in prevention of diseases and Lifestyle modification (PathyaApathya) has been proved to be successful treatment in various diseases. COPD being a chronic progressive disease with irreversible changes needs early diagnosis and proper management. An extra care of diet, diet pattern modification and life style modification (Patha-Apathya) with Yogic procedures play major role in the prevention and progression of COPD. The Global Initiative for Chronic Obstructive Lung Disease (GOLD) guidelines emphasize that smoking cessation is, "the single most effective and cost-effective way to reduce exposure to COPD risk factors."

REFERENCES

1. Rebecca Decker, Alvar Agusti, Bartolome R.Celli et al, Pocket Guide to COPD Diagnosis, Management, and Prevention, A Guide for health care Professionals, report, <http://www.goldcopd.com/>, 2018; 1-34.
2. Kasper, Fauci, Hauser, Longo, Jameson, Loscalzo, Harrison's Principles of Internal Medicine 19th edition, Library of Congress Cataloging-in Publication Data, chapter 31, 2: 1700-1707.
3. Sujit K. Chaudhary, Concise Medical Physiology, 4th edition, New Central Book Agency (P) LTD, 2002; 147.
4. Brashier, Bill & Kodgule, Rahul. Risk factors and Pathophysiology of Chronic Obstructive Pulmonary Disease (COPD). J Assoc Physicians India, 2012 Feb; 60 Suppl: 17-21.
5. K.D.Tripathi, Essential of Medical Pharmacology, 7th edition, Jaypee Brothers Medical Publishers (P) Ltd., New Delhi, chapter 8 & 16, 2013; 119 & 218-233.
6. Sharma Praveen Kumar, Johri Sharad, Mehra B L. Efficacy of Vasadi Syrup and Shwasaghna Dhuma in the patients of COPD (Shwasa Roga). AYU, 2010 Jan; 31(1): 48-52.
7. Agnivesh, Charaka, Dridhabala, Charaksamhita Chikitsasthana 17, Hindi commentary by Vidhyadharshukla and Ravidattripathi Chaukhambha Sanskrit pratishtan Delhi, 2009; 515.
8. Brain Walker, Nicki R Colledge, Stuart Ralston, Lan Penman, Davidson's Principle and Practice of Medicine, 22nd Edition, 2014; 567-579.
9. Vagbhata, Ashtanga Hridaya, with the commentaries, Nirmalhindhi commentary Edited by Dr.Bhrahmananad Tripathi, Published by Chaukhambha Sanskrita Pratishtan, Delhi. Nidana Sthana, 3/38, 2015; 453.
10. Dr.Jagdev Singh, Ayurvedic Treatment of Chronic obstructive pulmonary disease (COPD), <https://www.ayurtimes.com>, April 14, 2015; 1-3.
11. S K Katiyar, Shailesh Bihari, Role of Pranayama in Rehabilitation of COPD patients a Randomized Controlled Study, Indian J Allergy Asthma Immunol., 2006; 20(2): 98-104.
12. Pathyapathyavinirnaya 'Pathya' Hindi vyakhya, Brahamanand Tripathi, Varanasi., 2008; 40-41.
13. Anupama Gupta, Rajesh Gupta, Mohammad Arkham, Pranayam for Treatment of Chronic Obstructive Pulmonary Disease: Result From a Randomized, Controlled trial, Integrative Medicine, 2014; 13(1): 26-31.
14. Angela Finlay, Yoga Postures and Breathing for less lung discomfort, <https://copd.Newlifeoutlook.com>, July 29, 2015; 1-2.
15. Farrokh Sohrabi, The best diet for COPD patients, www.everydayhealth.com, 2015; 1.
16. James E. Gerace, Energy-Boosting Foods for COPD, www.onhealth.com, 2016; 1-20.